

List of order and A/T s issue during year 2014-15					
Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
1	66 KV Class D/C, M/C, D/C (Narrow Base), G.I. Tower materials suitable for ACSR Panther Conductor with Fabrication & galvanizing, as per specification. (STEEL) Brought out items like Bolt-nuts, washers, accessories as per specification for 66 KV Class D/C, M/C, D/C (Narrow Base), G.I. Tower materials suitable for ACSR Panther Conductor. (BOLT-NUTS)	M/s Associated Power Structures Pvt Ltd, Vadodara	E-2325/4165, 02.04.14	MT	162
				MT	7
2	66 KV 0.2S Metering CT - 600-300/1A, with structure	M/s JSL Industries Ltd, Mogar	E-2389/4225, 05.04.14	Nos.	2
	66 KV CT RATIO 150-100/1-1-1 A WITH STRUCTURE			Nos.	36
	66 KV CT- 200-100/1A, 3C without Structure			Nos.	6
	66KV CT 100-50/1-1-1 A with structure with clamp connectors suitable for single Moose			Nos.	5
	66KV CT 1200-600/1-1-1 A with structure			Nos.	27
	66KV CT RATIO 150/100/1-1-1A without structure			Nos.	112
	66KV PT with Structure & with clamp connectors suitable for Single Moose			Nos.	10
66KV CT 600-300/1-1-1 A with structure	Nos.	29			
3	66 KV CT RATIO 150-100/1-1-1 A WITH STRUCTURE -	M/s Kapco Electrical Pvt Ltd, Noida	E-2389/4228, 05.04.14	Nos.	36
	66 KV CT- 200-100/1A, 3C without Structure, as per specifications -			Nos.	6
	66KV CT 100-50/1-1-1 A with structure & with clamp connectors suitable for single Moose -			Nos.	6
	66KV CT RATIO 150/100/1-1-1A without structure			Nos.	112
66KV PT with Structure with clamp connectors suitable for Single Moose	Nos.	11			
4	132 KV PT with structure	M/s Mehru Electrical & Mechanical Engineers (P) Ltd, Bhiwadi	E-2389/4226, 05.04.14	Nos.	6
	132 KV PT without structure			Nos.	6
	66KV CT 1200-600/1-1-1 A with structure			Nos.	28
5	66KV CT 600-300/1-1-1 A with structure	M/s Universal Magnoflux (P) Ltd, Indore	E-2389/4227, 05.04.14	Nos.	3
6	MS ANGLE 50 X 50 X 6 mm (9 to 10 Mtrs. Long +/- 150 mm)	M/s Prakash Re -Rollers Pvt Ltd, Bhavnagar	E-2384/4287, 07.04.14	MT	467
7	MS Beam 150 X150 mm (13 Mtrs. Long +/- 150 mm)	M/s Jekay international Track Pvt Ltd, Raipur	E-2384/4286, 07.04.14	MT	3295
8	MS Beam 116 x 100 mm (11 Mtr. Long +/- 150 mm)	M/s Hans Industries (P) Ltd, Bhavnagar	E-2384/4288, 07.04.14	MT	156
9	MS CHANNEL 100X50X6 MM	M/s Balajee structure s (india) Ltd, Raipur	E-2384/4305, 09.04.14	MT	568
	MS CHANNEL 125X65/66X6 MM			MT	127
10	220 KV D/C GI Tower Materials suitable for ACSR Zebra Conductor (STEEL)	M/s Diamond Power infrastructure Ltd, Vadodara	E-2397/5019, 05.05.14	MT	3555
	Bolt & Nuts for 220 KV D/C GI Tower Materials suitable for ACSR Zebra Conductor (B/N)			MT	112
11	MS Beam 116x100 mm (11 Mtr. Long +/- 150 mm)	M/s Hans Industries (P) Ltd, Bhavnagar	E-2417/5360, 15.05.14	MT	198
12	MS Beam 116x100 mm (11 Mtr. Long +/- 150 mm)	M/s Nutan Ispat & Power Pvt Ltd, Raipur	E-2417/5350, 15.05.14	MT	39
13	132 KV PT with structure	M/s Hivoltrans Electricals (P) Ltd, Halol	E-2389/5349, 15.05.14	Nos.	3
	132 KV PT w/o Structure			Nos.	3
14	22 KV CT - 600-450-300/1-1-0.577, with Structure	M/s JSL Industries Ltd, Mogar	E-24025309, 14.05.14	Nos.	42
	66 KV CT 1600-1200/1A, 3C, w/o Structure with Clamp connector for twin Zebra 0 399 mm spacing.			Nos.	54
	66 KV CT 1600-1200/1A, 3C, with Structure with Clamp connector for twin Moose/ Zebra.			Nos.	81
	66 KV CT 150-100/1A, 3C, with structure, with clamp connector single moose.			Nos.	6
	66 KV CT 300-150/1A, 3C w/o Structure with clamp connector suitable for single Moose / Panther.			Nos.	618
	66 KV CT 600-300/1A, 3C, w/o Structure, with terminal connector suitable for single Panther / moose.			Nos.	504
	66 KV CT 600-300/1A, 3C, with Structure, with terminal connector suitable for single moose.			Nos.	216
	66 KV CT 1200-600/1A, 3C w/o Structure with terminal connector suitable for twin zebra			Nos.	134
	66 KV CT 150-100/1A, 3C, w/o Structure with single Panther Connector.			Nos.	94
	66 KV PT w/o Structure, with clamp connector suitable for single moose.			Nos.	69
66 KV PT with Structure, with clamp connector suitable for single moose.	Nos.	12			
15	66 KV CT 300-150/1A, 3C w/o Structure with clamp connector suitable for single Moose / Panther.	M/s Mehru Electrical & Mechanical Engineers (P) Ltd, Bhiwadi	E-24025308, 14.05.14	Nos.	514
16	66 KV CT 1200-600/1A, 3C w/o Structure with terminal connector suitable for twin zebra	M/s Universal Magnoflux (P) Ltd, Indore	E-24025407, 15.05.14	Nos.	15
17	66 KV C&R Panel for Transformer with Diff. Prot. 110V DC, 1 Bus.	M/s Maktel Control & Systems pvt Ltd, Waghodiya	E-2405/5410, 15.05.14	Nos.	264

Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
18	66 KV C&R Feeder Panels, 110V/220V DC, 2 Bus.	M/s Hertz Electronics,Indore	E-2405/5411, 15.05.14	Nos.	29
	66 KV Trf. C&R Panel with Diff. Protection, 110V DC / 220 V DC, 2 Bus.			Nos.	23
	66 KV C&R Feeder Panel, 110V DC, 1 Bus.			Nos.	110
	66 KV Trf. CRP w/o Diff. Protn. 110V/ 220V DC 2 Bus			Nos.	11
	66 KV Trf. CRP w/o Diff. Protn. 110V DC 1 Bus			Nos.	141
	66 KV Trf. CRP w/o Diff. Protn. 110V/ 220V DC 1 Bus			Nos.	8
19	66 KV G.I. Sub Station Structures (STEEL)	M/s Vijay Transmission (P) Ltd, Raipur	E-2421/5444, 16.05.14	MT	665
	Bolts/nuts, accessories etc. for 66 KV G.I. Sub Station Structures (BOLT-NUT)			MT	38
	132 KV G.I. Sub Station Structures (STEEL)			MT	45
	Bolts/nuts, accessories etc. for 132 KV G.I. Sub Station Structures (BOLT-NUT)			MT	4
	220 KV G.I. Sub Station Structures (STEEL)			MT	174
	Bolts/nuts, accessories etc. for 220 KV G.I. Sub Station Structures (BOLT-NUT)			MT	11
	400 KV G.I. Sub Station Structures (STEEL)			MT	71
	Bolts/nuts, accessories etc. for 400 KV G.I. Sub Station Structures (BOLT-NUT)			MT	3
20	66 KV G.I. Sub Station Structures (STEEL)	M/s B.M. Engineering Industries,Vadodara	E-2421/5771, 28.05.14	MT	1500
	Bolts/nuts, accessories etc. for 66 KV G.I. Sub Station Structures (BOLT-NUT)			MT	86
21	66 KV CT 300-150/1A, 3C, without structure, with clamp connector suitable for ACSR Panther Conductor	M/s Kapco Electrical Pvt Ltd,Noida	E-2402 /5308, 26.05.14	Nos.	104
	66 KV CT 150-100/1A, 3C, w/o Structure with single Panther Connector.			Nos.	95
22	MS Beam 116 x 100 mm (11 Mtr. Long +/- 150 mm)	M/s Twenty First Century wire Rods Ltd,Silvassa	E-2417/5884, 30.05.14	MT	159

Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
23	400 KV Numerical Bus Bar Protection Panel 220V DC 3 Bus	M/s Schneider Electric Infrastructure Ltd, Noida	E-2377 /6529, 10.06.14	No.	1
24	22 KV CT 600-450-300/1-1-, 0.577A, 3C without structure as per technical specification with a clamp connector suitable for Panther Conductor.	M/s JSL Industries Ltd, Mogar	E-2383/6404, 13.06.14	Nos.	18
	22 KV CT 300-150-100/1A, 3C without structure as per technical specification with clamp connector suitable for Dog Conductor.			Nos.	60
	22 KV CT 450-300/1A, 3C without structure as per technical specification with clamp connector suitable for Panther Conductor.-			Nos.	40
	22 KV CT 600-450-300/1A, 3C without structure as per technical specification with clamp connector suitable for Panther Conductor.			Nos.	20
	22 KV CT 600-450-300/1A, 3C without structure as per technical specification with clamp connector suitable for Dog Conductor.			Nos.	30
	22 KV PT, 110 V as per technical specification with clamp connector suitable for Panther Conductor.			Nos.	3
	22 KV PT, 110 V as per technical specification with clamp connector suitable for Dog Conductor.			Nos.	12
	22 KV CT 300-150-75/1A, 3C without structure as per technical specification with clamp connector suitable for Dog Conductor.			Nos.	80
	33 KV CT 1200-600-300/1A, 3C without structure as per technical specification with clamp connector suitable for Dog Conductor.			Nos.	15
	33 KV CT 600-300-150/1A, 3C without structure as per technical specification with clamp connector suitable for Dog Conductor.			Nos.	21
33 KV PT, 110 V as per technical specification with clamp connector suitable for Dog Conductor.	Nos.	9			
25	400 KV DC Tower Material (STEEL)	M/s Archon Engicon limited, Gandhinagar	E-2391/7384, 09.07.14	MT	564
	N/B for 400 KV Tower Material			MT	18

Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
26	66 KV G.I. Sub Station Structures (STEEL)	M/s Archon Engicon limited,Gandhinagar	E-2421/9155, 19.08.14	MT	496
	Bolts/nuts, 66 KV G.I. Sub Station Structures (BOLT-NUT)			MT	29
	132 KV G.I. Sub Station Structures (STEEL)			MT	133
	Bolts/nuts, for 132 KV G.I. Sub Station Structures (BOLT-NUT)			MT	10
	220 KV G.I. Sub Station Structures (STEEL)			MT	522
	Bolts/nuts, for 220 KV G.I. Sub Station Structures (BOLT-NUT)			MT	34
	400 KV G.I. Sub Station Structures (STEEL)			MT	213
	Bolts/nuts, for 400 KV G.I. Sub Station Structures (BOLT-NUT)			MT	8
27	66 KV Class D/C, M/C, D/C (Narrow Base), G.I. Tower materials suitable for ACSR Panther Conductor. (STEEL)	M/s. Associated Power Structures Pvt. Ltd., Vadodara	E-2325/ 9716, 03.09.14	MT	1946.774
	Bolt-nuts for 66 KV Tower materials. (BOLT-NUTS)			MT	75.947
	132 KV D/C TOWER MATERIAL SUITABLE FOR PANTHER CONDUCTOR - (STEEL)			MT	90.081
	BOLT & NUTS FOR 132 KV D/C TOWER MATERIAL - (BOLT- NUTS)			MT	3.265
28	132 KV Transformer C&R Panel with Differential, 110 V DC, 1 Bus.	M/s. Danish Private Limited, Jaipur	E-2443/4209, 24.11.14.	Nos.	9
	132 KV Transformer C&R Panel 110 V DC, 1 Bus with Differential relay suitable for Hybrid Switchgear.			Nos.	1
	132 KV Transformer C&R Panel without Differential, 110 V DC, 2 Bus			Nos.	1
29	400KV Transformer C&R Panel with Differential , 220 V DC, 3 Bus, (with necessary wiring & provision for mounting Control Switching Device [CSD])	M/s. Alstom T & D India Ltd, Chennai	E-2443 / 5353, 24.12.14	Nos.	6
	220 KV Feeder C&R Panel 220 V DC, 3 Bus			Nos.	12
	220 KV Feeder C&R Panel 220 V DC, 2 Bus			Nos.	2
	220 KV Feeder C&R Panel 110 V DC, 2 Bus.			Nos.	6
	220 KV Transformer C&R Panel with Differential, 220 V DC, 3 Bus .			Nos.	4
	220 KV Transformer C&R Panel without Differential, 220 V DC, 3 Bus .			Nos.	5
	220 KV Transformer C&R Panel without Differential, 110 V DC, 3 Bus.			Nos.	1
30	66 KV C&R Panel for transformer with differential 110V DC, 1 Bus	M/s. Popular Switchgears Pvt. Ltd. , Lasundara	E-2444/ 5761, 03.01.15	Nos.	86
	66 KV C&R Panel for transformer with differential 110V (3) /220V DC (23), 2 Bus			Nos.	26
31	22 KV C&R Panel for transformer without differential for LV side of 66/22 KV 20/15/10 MVA transformer 110V DC 1 Bus	Maktel Control and Systems Pvt. Ltd., Waghodia	CE (P)/Proc/I/E-2444// e-97293/ MCSPL/ 66 KV CRP / 5762, 03.01.15.	Nos.	10
	66 KV C&R feeder panel 110V DC, 1 Bus			Nos.	194
	66 KV C&R feeder panel 110V DC (9) / 220V DC (23), 2 Bus			Nos.	32
	66 KV C&R Panel for transformer without differential 110V DC, 1 Bus			Nos.	8
	66 KV C&R Panel for transformer without differential 110V (8) / 220V DC (3), 2 Bus			Nos.	11
32	220 KV Transformer C&R Panel with Differential, 110 V DC, 3 Bus.	M/s.Siemens Limited, Thane	E-2443/308, 20.01.15	Nos.	2
	220 KV Transformer C&R Panel with Differential, 220 V DC, 2 Bus			Nos.	2
	220 KV Transformer C&R Panel with Differential, 110 V DC, 2 Bus.			Nos.	10
33	132 KV Feeder C&R Panel 110 V DC, 1 Bus .	Maktel Control and Systems Pvt. Ltd., Waghodia	E-2443/ 999, 04.02.15	Nos.	12
	132 KV Feeder C&R Panel 110V DC, 1 Bus, suitable for Hybrid Switchgear.			Nos.	4
	132 KV Transformer C&R Panel with Differential, 110 V DC, 1 Bus.			Nos.	9
	132 KV Transformer C&R Panel 110 V DC, 1 Bus, suitable for Hybrid Switchgear.			Nos.	1
34	132 KV Transformer C&R Panel without Differential, 110 V DC, 1 Bus.			Nos.	1
	66 KV Class D/C & M/C G.I. Tower materials suitable for ACSR Panther Conductor with Fabrication & Galvanizing (STEEL)	M/s. Associated Power Structures (P) Ltd., Vadodara	E-2459/981, 05.02.15	MT	4768
Bought out items like Bolt-nuts, washers, accessories, etc., - for 66 KV Class Tower materials (BOLT-NUT)	E-2459/981, 05.02.15		MT	193	
35	66 KV Class D/C & M/C G.I. Tower materials suitable for ACSR Panther Conductor with Fabrication & Galvanizing (STEEL)	M/s. Shree Ashutosh Engineering Industries,Raipur	E-2459 / 1137, 10.02.15	MT	596
	Bought out items like Bolt-nuts, washers, accessories, etc. as per technical specifications, - for 66 KV Class D/C & M/C G.I. Tower materials (BOLT-NUT)		E-2459 / 1137, 10.02.15	MT	24
36	MS Rail 60 Kg/ Mtr - 13 Mtr. Long as per tender specifications.	M/s. Standard Engineering Company, Vadodara	E-2433 / 2760, 03.03.15	MT	248
37	MS Round Bar 20 mm - 9 Mtr. Long and above.	M/s. Krishna Steel Industries, Bhavnagar	E-2433/ 2762, 03.03.15	MT	504
38	MS Round Bar 20 mm - 9 Mtr. Long and above.		E-2433 / 2763, 03.03.15	MT	56
39	Fire wedge connector Dog to Dog conductor	M/s Marc Enterprises Limited, Vadodara	E 2368/4782 25.04.14	Nos.	578
	Panther to Dog conductor			Nos.	981
	Panther to Panther conductor			Nos.	1066
	Zebra to Panther conductor			Nos.	1030
	Zebra to Zebra conductor			Nos.	1232
	Moose to Panther conductor			Nos.	228
	Moose to Zebra conductor			Nos.	493
Moose to Moose conductor	Nos.	3553			
40	Fire wedge connector Dog to Dog conductor	Ahura Marketing Pvt. Ltd.Ahmadabad	E 2368/4923 02.05.14	Nos.	193

Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
41	Control Cable - 2c x 2.5 sq mm	M/s Marc Enterprises Limited, Vadodara	E-2394/5269 12.05.14	Kms	30
	- 4c x 2.5 sq mm			Kms	18
	- 7c x 2.5 sq mm			Kms	24
42	Control Cable - 2c x 2.5 sq mm	M/s Suyog Electricals Ltd.Halol	E-2394/5271 12.05.14	Kms	53
	- 4c x 2.5 sq mm			Kms	50
	- 7c x 2.5 sq mm			Kms	120
	- 12c x 2.5 sq mm			Kms	115
	- 19c x 2.5 sq mm			Kms	93
	- 27c x 2.5 sq mm			Kms	242
	- 4c x 4 sq mm			Kms	93
	- 12c x 4 sq mm			Kms	121
43	Control Cable - 2c x 2.5 sq mm	M/s Chandresh Cables Ltd,Chhatral	E-2394/5396 15.05.14	Kms	40
	- 4c x 2.5 sq mm			Kms	39
	- 12c x 2.5 sq mm			Kms	50
	- 19c x 2.5 sq mm			Kms	34
	- 4c x 4 sq mm			Kms	39
	- 12c x 4 sq mm			Kms	38
44	Terminal Connector for 66KV Current Transformer suitable for Single Zebra w/o hole	M/s Gayatri Metallic Foundry,Vittal Udyognagar	E-2368/5397 15.05.14	Nos.	15
	Terminal Connector for 66KV Current Transformer suitable for Dog w/o hole (C.C. Capacity 400A)			Nos.	750
	Terminal Connector for 66KV Surge Arrester suitable for Single Panther Compression type (Without hole)			Nos.	1500
	Press Type Palm Connector for Moose - Palm (w/o hole)			Nos.	1625
	Press Type Palm Connector for Moose - 30 mm Stud Palm			Nos.	244
	Press Type Palm Connector for Moose - 40 mm Stud Palm			Nos.	383
	Press Type Palm Connector for Twin Moose			Nos.	396
	Press Type Palm Connector for Zebra - Palm (w/o hole)			Nos.	2751
	Press Type Palm Connector for Zebra - 30 mm Stud Palm			Nos.	48
	Press Type Palm Connector for Zebra - 40 mm Stud Palm			Nos.	150
	Press Type Palm Connector for Twin Zebra			Nos.	390
	Press Type Palm Connector for Panther - Palm (w/o hole)			Nos.	1765
Press Type Palm Connector for Dog - Palm (w/o hole) (C.C. Capacity 400A)	Nos.	3000			
45	Control Cable - 2c x 2.5 sq mm	M/s K C Powertracks ,Amli	E-2394/5594 dtd. 20.05.14	Kms	17
	- 4c x 2.5 sq mm			Kms	27
	- 7c x 2.5 sq mm			Kms	36
	- 4c x 4 sq mm			Kms	46
46	11 KV XLPE Cable - 240 sqmm	M/s Havell's India Ltd.Alwar	E 2395/6156 dtd. 09.06.14	Kms	19
47	P.I. Clamp for Panther	M/s Utsav Electro-mech Pvt. Ltd.Vadodara	E 2368/6385 dtd. 12.06.14	Nos.	410
	Terminal Connector for 220KV Bus Post Insulator suitable for Twin Moose with 350mm Spacing			Nos.	60
	Terminal Connector for 132KV Circuit Breaker suitable for Single Panther w/o hole			Nos.	180
	Terminal Connector for 132KV HDB Isolator w/o Earth switch suitable for Single Panther w/o hole			Nos.	180
	Terminal Connector for 132KV Current Transformer suitable for Single Panther			Nos.	180
	Terminal Connector for 132KV Bus Post Insulator suitable for Single Panther with obelum type hole			Nos.	180
	Terminal Connector for 66KV Circuit Breaker suitable for Panther w/o hole			Nos.	750
	Terminal Connector for 66KV Current Transformer suitable for Single Moose w/o hole			Nos.	15
	Terminal Connector for 66KV Current Transformer suitable for Panther w/o hole			Nos.	750
	Press type CT Connector suitable for Panther (22KV)			Nos.	630
	Press type Palm Connector suitable for Panther (22KV)			Nos.	1260
	Press Type Palm Connector for Moose - Palm (w/o hole)			Nos.	1500
	Press Type Palm Connector for Panther - Palm (w/o hole)			Nos.	3000

Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
48	11 KV XLPE Cable - 300 sqmm	M/s Diamond Power Infrastructure Ltd.vadodara	E 2395/6386 dtd. 12.06.14	Kms	8
	- 240 sqmm			Kms	19
49	110V, 20A 1-Ph Battery Charger (without SCADA)	M/s Panva Engineering Pvt. Ltd.Nasik	E-2408/6482 dtd. 16.06.14	Nos.	40
	50V 40/35A 3-Ph Battery charger (without SCADA)			Nos.	7
50	Sag compensation Spring	M/s Pipe Hangers & Supports Pvt. Ltd.Cheenai	1436/6504 dtd. 17.06.14	Nos.	170
51	110V, 20A 1-Ph Battery Charger (without SCADA)	M/s Servilink Engineers Pvt. Ltd.Vadodara	E 2408/6714 dtd. 23.06.14	Nos.	40
	110V 30/50 A 3-Ph Battery Charger (without SCADA)			Nos.	5
	50V 100/60A 3-Ph Battery charger (without SCADA)			Nos.	6
	50V 40/35A 3-Ph Battery charger (without SCADA)			Nos.	6
52	G.I. Earthing Strip -75mm x 10mm	M/s Associated Power Structures Pvt. Ltd.Karjan	E-2419/6718 dtd. 23.06.14	MT	460
53	11 KV XLPE Cable - 300 sqmm	M/s Apar Industries Ltd.Umergaon	E 2395/6968 dtd. 27.06.14	Kms	8
	- 240 sqmm			Kms	38
54	Compression Clamp connector suitable for stud for Twin Zebra (350mm spacing) suitable for CB Isolator	M/s Gayatri Metalic Foundry,Vittal Udyognagar	E 2376/7212 dtd. 04.07.14	Nos.	60
	Palm type with hole and compression Clamp connector suitable for Twin Zebra (350mm spacing) suitable for HDB Isolator			Nos.	708
	Palm type with hole and compression Clamp connector suitable for Twin Moose (350mm spacing) (suitable for HDB Isolator)			Nos.	546
	Palm type with hole and compression Clamp connector suitable for Twin Moose (350mm spacing) for vertical takeoff (suitable for DB Tandem Isolator)			Nos.	294
	Clamp connector suitable for Twin Moose (350mm spacing) with pass on clamp for horizontal run suitable for DB Tandem Isolator			Nos.	294
	Compression Clamp connector suitable for stud for Twin Moose (350mm spacing) suitable for CB Isolator			Nos.	12

Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
	4" IPS Al. Tube, Sch 80			Mtr.	2003
55	Fix type clamp connector suitable for 4" IPS Allu Tube to stud suitable for HCB Isolator	M/s Exalt Engineering Ind.Mumbai	E 2376/8729 . 07.08.14	Nos.	54
	Expansion type clamp connector suitable for 4" IPS Allu Tube to stud suitable for HCB Isolator			Nos.	54
	Fix type clamp connector suitable for 4" IPS Allu Tube to pad suitable for Pantograph Isolator			Nos.	90
	Expansion type clamp connector suitable for 4" IPS Allu Tube to pad suitable for Pantograph Isolator			Nos.	90
56	Single Tension Hardware Normal for Dog	M/s EETEEL Hardwares,Vadodara	E-2367R/9542 30.08.14	Set	1798
57	110V, 250 AH Battery sets with FRP Stand and Accessories	M/s Aaj Accumulators Pvt. Ltd.Kolhapur	E-2407/9745 . 04.09.14	Set	3
	Erection and Comm. of 110V, 250 AH Battery			Set	3
	50V, 250 AH Battery sets with FRP Stand and Accessories			Set	7
	Erection and Comm. of 50V, 250 AH Battery			Set	7
58	110V, 250 AH Battery sets with FRP Stand and Accessories	M/s Autobat Batteries Pvt. Ltd.Nadiad	E-2407/9877 . 10.09.14	Set	2
	Erection and Comm. of 110V, 250 AH Battery			Set	2
	50V, 250 AH Battery sets with FRP Stand and Accessories			Set	7
	Erection and Comm. of 50V, 250 AH Battery			Set	7
59	Single Tension Hardware Normal for Dog	M/s Asbesco (India) Pvt. Ltd.Howrah	E-2367R/298 22.09.14	Set	202
60	110V, 250 AH Plante type Battery set with FRP Stand and Accessories	M/s Servilink Engineers Pvt. Ltd. Vadodara	E-2407/972 . 13.10.14	Set	1
	Erection and Comm. of 110V, 250 AH Plante Battery			Set	1
61	Double tension H/W suitable for 90KN for Twin Zebra without sag plate for 66KV System (350mm Spacing)	M/s Rumika Engineering Co.Dabhasa	E-2415/1503 27.10.14	Set	369
	Double tension H/W suitable for 90KN for Twin Zebra with sag plate for 66KV System (350mm Spacing)			Set	369
	Double tension H/W suitable for 120KN for Twin Zebra with sag plate for 132KV System (350mm Spacing)			Set	81
	Single Suspension for AL-59			Set	140
	Double Suspension for AL-59			Set	15
	Single Tension for AL-59			Set	120
	Double Tension for AL-59			Set	42
	Vibration Damper for AL-59			Nos.	680
	Repair Sleeve for AL-59			Nos.	15
	Midspan Compression Joint for AL-59			Nos.	56
	PA Rod for AL-59			Set	155
	Double Tension suitable for 120KN for Twin Moose with sag plate for 220KV System (350mm Spacing)			Set	282

Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
62	Single Suspension Hardware suitable for 90KN (Drop type) for Twin Zebra for 66KV System (350mm Spacing)	M/s Gayatri Metallic Foundry,Vittal Udyognagar	E -2415/4860 . 09.12.14	Set	87
	Single Suspension H/W suitable for 120KN (Drop type) for Twin Zebra for 132KV System (350mm Spacing)			Set	71
	Single Tension with sag plate suitable for 90KN for Single Zebra for 66KV System			Set	100
	Single Tension without sag plate suitable for 90KN for Single Zebra for 66KV System			Set	90
	Single Tension without sag plate for 90KN for Zebra			Set	351
	Single Tension with sag plate for 90KN for Zebra			Set	390
	Double tension H/W suitable for 120KN for Twin Zebra without sag plate for 132KV System (350mm Spacing)			Set	81
	Spacer for Twin Zebra (350mm Spacing)			Nos.	6075
	Single Suspension suitable for 120KN for Moose for 220KV System			Set	81
	Single Suspension H/W suitable for 120KN (Drop type) for Twin Moose for 220KV System (350mm Spacing)			Set	96
	Single Suspension H/W suitable for 120KN with single attachment for Twin Moose for 400KV System (450mm Spacing)			Set	63
	Double Tension suitable for 120KN for Twin Moose without sag plate for 220KV System (350mm Spacing)			Set	282
	Double Tension H/W suitable for 120KN with single attachment for Twin Moose / twin attachment for Quad Moose without turn buckle for 400KV System (450mm Spacing)			Set	42
	Double Tension H/W suitable for 120KN with single attachment for Twin Moose / twin attachment for Quad Moose with turn buckle for 400KV System (450mm Spacing)			Set	42
	Spacer for Quad Moose (350mm Spacing)			Nos.	300
	4" IPS Al. Pipe			Mtr.	2120
	Spacer for Twin Moose (350mm Spacing)			Nos.	3845
Spacer for Twin Moose (450mm Spacing)	Nos.	805			
63	Single Suspension for Zebra	M/s EETEEL Hardwares	E 2415/4858 . 09.12.14	Set	206
	Copper Earth Bond			Nos.	736
	Cross by Clip suitable for 7/3.15 mm			Nos.	425
64	Single Tension for Zebra	M/s Aumni Transmission Industry Pvt Ltd	E 2415/4859 . 09.12.14	Set	400
	Single Suspension for AL-59			Set	35
	Double Suspension for AL-59			Set	3
	Single Tension for AL-59			Set	30
	Vibration Damper for AL-59			Nos.	170
	PA Rod for AL-59			Set	38
	Suspension Clamp for Earth wire suitable for 7/3.15 mm			Nos.	188
Cross by Clip suitable for 7/3.15 mm	Nos.	425			
65	Single Suspension Hardware suitable for 90KN (Drop type) for Twin Zebra for 66KV System (350mm Spacing)	M/s Nike Energy Mfg. Pvt. Ltd.Varansi	E 2415/5556 . 30.12.14	Set	9
	Single Suspension H/W suitable for 120KN (Drop type) for Twin Zebra for 132KV System (350mm Spacing)			Set	7
	Single Tension without sag plate suitable for 90KN for Single Zebra for 66KV System			Set	10
	Single Tension without sag plate for 90KN for Zebra			Set	39
	Double tension H/W suitable for 120KN for Twin Zebra without sag plate for 132KV System (350mm Spacing)			Set	9
	Double tension H/W suitable for 120KN for Twin Zebra with sag plate for 132KV System (350mm Spacing)			Set	9
66	Spacer for Twin Zebra (350mm Spacing)	M/s Asbesco (India) Pvt. Ltd.Howrah	E 2415/78 . 09.01.15	Nos.	675
	Spacer for Twin Moose (350mm Spacing)			Nos.	3845
	Spacer for Twin Moose (450mm Spacing)			Nos.	805
67	Double Tension for Zebra	M/s Krsna Transmission Hardware Mfg. Pvt. Ltd,Manjusar	E 2415/894 . 04.02.15	Set	660
	Single Suspension for AL-59			Set	175
	Double Suspension for AL-59			Set	18
	Single Tension for AL-59			Set	150
	Double Tension for AL-59			Set	42
	Vibration Damper for AL-59			Set	850
	Midspan Compression Joint for AL-59			Nos.	56
	PA Rod for AL-59			Nos.	193
	Tension Clamp for Earth wire suitable for 7/3.15 mm			Nos.	891
	Single Tension for Zebra			Set	1190
	Cross by Clip suitable for 7/3.15 mm			Nos.	850
	Single Tension for Zebra			Set	1190
	Cross by Clip suitable for 7/3.15 mm			Nos.	850
68	Double Tension for Dog	M/sRumika Engineering Co.Dabhasa	E 2416/1063. 11.02.15	Set	1442
69	Sag compensation Spring	M/sPipe Hangers & Supports Pvt. Ltd.Chennai	1442/2011 12.02.15	Nos.	60
70	Single Tension for Dog	M/sMilap Engineering Co.Dabhasa	E 2416/2237 18.02.15	Set	8000
	Double Tension for Dog			Set	606
	Vibration Damper for Dog			Nos.	9195

Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
71	G.I. Earthing Strip -75mm x 10mm	M/sVijay Transmission Pvt. Ltd.Raipur	E-2448/2343 23.02.15	MT	93
	-50mm x 06mm			MT	130
72	Single Suspension for Dog	M/s Aumni Transmission Industry Pvt Ltd,Vadodara	E 2416/2729 02.03.15	Set	4500
	Single Tension for Dog			Set	6152
	Double Tension for Dog			Set	721
	Midspan Compression Joint for Dog			Nos.	450
	Suspension Clamp			Nos.	770
	Midspan Compression Joint			Nos.	25
	Copper Earth Bond			Nos.	1575
73	Single Tension for Dog	M/sKrsna Transmission Hardware Mfg. Pvt.	E 2416/2767 03.03.15	Set	699
	Vibration Damper for Dog			Nos.	27600
74	22 KV XLPE Cable - 240 sqmm	M/sApar Industries Ltd.Umergaon	E-2440/2753 03.03.15	Kms	1
	11 KV XLPE Cable - 300 sqmm			Kms	3
	- 240 sqmm			Kms	18
75	G.I. Earthing Strip -75mm x 10mm	M/sAssociated Power Structures Pvt. Ltd.Karjan	E-2448/2866 04.03.15	MT	240
	-50mm x 06mm			MT	336
76	Single Suspension for Dog	M/s EETEEL Hardwares	E 2416/2913 07.03.15	Set	1254
	Single Tension for Dog			Set	6152
	Repair Sleeve for Dog			Nos.	226
	PA Rod for Dog			Set	3822
	Tension Clamp			Nos.	3101
	Midspan Compression Joint			Nos.	225
	Cross by Clip			Nos.	1757
77	Single Suspension for Dog	M/s Gayatri Metallic Foundry,Vittal Udyognagar	E-2416/3128 16.03.15	Set	3500
	Copper Earth Bond			Nos.	3569
78	110V, 20A 1-Ph Battery Charger	M/s Servilink Engineers Pvt. Ltd.Vadodara	E-2439/3157 16.03.15	Nos.	35
	220V 50 A 3-Ph Battery Charger			Nos.	2
79	66KV XLPE Cable - 630 sqmm	M/s Torrent Cables Ltd.Nadiad	E 2449/3345 19.03.15	Kms	492
	66KV XLPE Cable - 630 sqmm (Al corrugated Sheath)			Kms	84
	6.6KV PVC Copper 1Cx150 sq mm Earthing Cable			Kms	20
80	110V, 100 AH Battery sets with FRP Stand and Accessories	M/s Autobat Batteries Pvt. Ltd.Nadiad	E 2438/3651 25.03.15	Set	41
	Erection and Comm. of 110V, 100 AH Battery			Set	41
	110V, 250 AH Battery sets with FRP Stand and Accessories			Set	9
	Erection and Comm. of 110V, 250 AH Battery			Set	9
	220V, 250 AH Battery sets with FRP Stand and Accessories			Set	2
	Erection and Comm. of 220V, 250 AH Battery			Set	2
	50V, 600 AH Battery sets with FRP Stand and Accessories			Set	2
	Erection and Comm. of 50V, 600 AH Battery			Set	2
81	Single Suspension for Dog	M/s Unique Power System,Junagadh	E 2416/3755 27.03.15	Set	1028
	Single Tension for Dog			Set	1143
	Double Tension for Dog			Set	115
	Midspan Compression Joint for Dog			Nos.	112
	Suspension Clamp			Nos.	572
	Tension Clamp			Nos.	572
	Midspan Compression Joint			Nos.	5
	Cross by Clip			Nos.	2858
	Copper Earth Bond			Nos.	1143
82	22 KV XLPE Cable - 240 sqmm	M/s KEI Industries Ltd.Bhiwadi	E 2440/3757 27.03.15	Kms	2
83	400 KV SF6 breaker 220V DC with structure and clamp connector suitable for Twin Moose Conductor with PIR	M/s Crompton Greaves Ltd,Ambad Nashik	E-2372/4492, 16.04.14	Set	2
84	ACSR Moose Conductor with steel drum on returnable basis as per tech. specification	M/s Diomand Power Infrastructure Ltd,Savli	E-2396/4868, 29.04.14	Km.	1639
85	ACSR Zebra Conductor with steel drum on returnable basis as per tech. specification	M/s JSK Industries private Limited,Silvassa	E-2396/4869, 29.04.14	Km.	471
85	ACSR Moose Conductor with steel drum on returnable basis as per tech. specification	M/s JSK Industries private Limited,Silvassa	E-2396/4869, 29.04.14	Km.	2232
86	AL 59 conductor (61/3.50 mm) with steel drum (on returnable basis) as per technical specification	M/s Gupta Power infrastructure Limited,Bhubaneswar	E-2423/4867, 29.04.14	Km.	233
87	ACSR Zebra Conductor with steel drum on returnable basis as per tech. specification	M/s Neccon Power & Infra limited ,Sikar	E-2396/4973, 05.05.14	Km.	500
	ACSR Moose Conductor with steel drum on returnable basis as per tech. specification		E-2396/4973, 05.05.14	Km.	656
88	15 MVA, 66/11.55KV Power Transformer with air cell, oil & accessories as per specifications	M/s Voltamp Transformer Ltd,Vadodara	E-2392/4975, 05.05.14	No.	80
89	66/11.55kV 5MVA transformers with SCADA compatibility with air cell, oil & accessories as per specification	M/s Transformer & Rectifier india Ltd,Changodar	E-2392/4972, 05.05.14	No.	3
	15 MVA, 66/11.55KV Power Transformer with air cell, oil & accessories as per specifications		E-2392/4972, 05.05.14	No.	84
90	AL 59 conductor (61/3.50 mm) with steel drum (on returnable basis) as per technical specification	M/s Sterlite Technologies Ltd,UT Dadara & Nagar haveli	E-2423/4971, 05.05.14	Km.	699

Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
91	66 KV SF6 breaker 110V DC with structure and clamp connector suitable for Panther Conductor	M/s ABB Ltd, Vadodara	E-2400/4974, 05.05.14	Set	303
	66 KV SF6 breaker 110V DC with structure and clamp connector suitable for Twin Zebra Conductor			Set	9
	66 KV SF6 breaker 220V DC with structure and clamp connector suitable for Twin Zebra Conductor			Set	2
	66 KV SF6 breaker 220V DC with structure and clamp connector suitable for Single Moose Conductor			Set	73
	66 KV SF6 breaker 220V DC with structure and clamp connector suitable for Twin Moose Conductor			Set	9
	132 KV SF6 breaker 110V DC with structure and clamp connector suitable for Twin Zebra Conductor			Set	14
	220 KV SF6 breaker 110V DC with structure and clamp connector suitable for Twin Moose Conductor			Set	8
	220 KV SF6 breaker 220V DC with structure and clamp connector suitable for Twin Moose Conductor			Set	16
92	15 MVA, 66/11.55KV Power Transformer with air cell, oil & accessories as per specifications	M/s Atlanta Electricals (P) Ltd,Vitthal Udyognagar	E-2392/5307, 14.05.14.	No.	140
	20 MVA, 66/11.55KV Power Transformer with air cell, oil & accessories as per specifications			No.	41
	20 MVA, 66/23.1KV Power Transformer with air cell, oil & accessories as per specifications			No.	9
93	15 MVA, 66/11.55KV Power Transformer with air cell, oil & accessories as per specifications	M/s IMP Power Ltd,Silvassa	E-2392/5310 114.05.14	No.	105
94	ACSR Moose Conductor with steel drum on returnable basis as per tech. specification	M/s Prem Cables Pvt Ltd,kalan, Rajasthan	E-2396/5409, 15.05.14	Km.	984
95	ACSR Zebra Conductor with steel drum on returnable basis as per tech. specification	M/s Prem Conductors Pvt Ltd,gandhinagar	E-2396/5408, 15.05.14	Km.	970
	ACSR Moose Conductor with steel drum on returnable basis as per tech. specification			Km.	10454
96	66 KV SF6 breaker 110V DC with structure and clamp connector suitable for Panther Conductor	M/s Crompton Greaves Ltd,Nashik	E-2400/5883, 30.05.14	Set	303
	66 KV SF6 breaker 110V DC with structure and clamp connector suitable for Twin Zebra Conductor			Set	9
	66 KV SF6 breaker 220V DC with structure and clamp connector suitable for Twin Zebra Conductor			Set	2
	66 KV SF6 breaker 220V DC with structure and clamp connector suitable for Single Moose Conductor			Set	73
	66 KV SF6 breaker 220V DC with structure and clamp connector suitable for Twin Moose Conductor			Set	9
97	220 KV SF6 breaker 110V DC with structure and clamp connector suitable for Twin Moose Conductor	M/s Alstom T & D India Limited,Padappai	E-2400/5882, 30.05.14	Set	9
	220 KV SF6 breaker 220V DC with structure and clamp connector suitable for Twin Moose Conductor			Set	16
98	132 KV SF6 breaker 110V DC with structure and clamp connector suitable for Twin Zebra Conductor	M/s Siemens Limited,Aurangabad	E-2400/5876, 30.05.14	Set	14
	132 KV SF6 breaker 220V DC with structure and clamp connector suitable for Twin Zebra Conductor			Set	1
99	400/220/33KV, 500MVA Auto transformer	M/s TBEA Energy (india) Pvt Ltd,vadodara	E-2393/VDP/ 7780, 21.07.14	No.	1
100	132/66 KV, 100 MVA Auto Transformer (25 mm/KV. as per technical specification)	M/s Voltamp Transformers Vadodara	E-2393/9046, 16.08.14	No.	12
	Erection, testing & commissioning of all the accessories of 132/66 KV, 100 MVA Auto Transformer			No.	12
101	220/66 KV, 160 MVA Power Transformer as per technical Specification	M/s EMCO LIMITED, Thane	E-2393/9044, 16.08.14	No.	5
	Erection, testing & commissioning of all the accessories of 220/66 KV, 160 MVA Power Transformer			No.	5
	Heatless type Air Dryer & oil filter machine at free of cost			No.	1
	On line condition monitoring (Doble or equivalent)			No.	1
	On line DGA as per technical Specification			No.	5
102	500 MVA, 400/220/33 kV, 3 phase. Auto transformer as per technical specification	M/s Crompton Greaves Ltd, Mumbai	E 2393/9518,30.08.14	No.	2
	Erection, testing & commissioning of all the accessories of 500 MVA,400/220/33 KV Auto transformer as per specification			No.	2
	Insulation Diagnostic analyzer Model IDAX 300, Meggar make-1 No. each with each transformer			No.	2

Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
103	220/66 KV, 100 MVA Power Transformer as per technical Specification.	M/s Transformers & Rectifier India Ltd, Moraiya	E 2393/9517, 30.08.14.	No.	6
	Erection, testing & commissioning of all the accessories of 220/66 KV, 100 MVA Power transformer			No.	6
	220/66 KV, 160 MVA Power Transformer as per technical Specification.			No.	15
	Erection, testing & commissioning of all the accessories of 220/66 KV, 160 MVA Power Transformer			No.	15
	Heatless type Air Dryer & oil filter machine at free of cost			No.	3
	On line condition monitoring (Doble or equivalent)			No.	3
	On line DGA as per technical Specification			No.	22
	220/132 KV, 150 MVA Auto Transformer			No.	5
	Erection, testing & commissioning of all the accessories of 220/132 KV, 150 MVA Auto Transformer			No.	5
	On line DGA as per technical Specification			No.	5
	220/132 KV, 100 MVA Auto Transformer			No.	2
	Erection, testing & commissioning of all the accessories of 220/132 KV, 100 MVA Auto Transformer			No.	2
	Heatless type Air Dryer & oil filter machine at free of cost			No.	2
	On line DGA as per technical Specification			No.	2
	On line condition monitoring (Doble or equivalent)			No.	2
	132/11 KV, 25 MVA Power Transformer			No.	1
	Erection, testing & commissioning of all the accessories of 132/11 KV, 25 MVA Power Transformer			No.	1
	132/66 KV, 100 MVA Auto Transformer			No.	8
	Erection, testing & commissioning of all the accessories of 132/66 KV, 100 MVA Auto Transformer			No.	8
	400/220/33 KV, 315 MVA Auto Transformer			No.	1
Erection, testing & commissioning of all the accessories of 400/220/33 KV, 315 MVA Auto Transformer	No.	1			
Doble make SFRA Kit (Model no.M 5400) 1 no. with each transformer	No.	1			
Moisture measurement in oil (DOMINO USS) Doble make-1 No. with each transformer	No.	1			
500 MVA, 400/220/33 kV, 3 phase, Auto transformer	No.	1			
Erection, testing & commissioning of all the accessories of 500 MVA, 400/220/33 KV Auto transformer as per specification	No.	1			
Insulation Diagnostic analyzer Model IDAX 300, Meggar make-1 No. each with each transformer	No.	1			
104	66 KV SF6 breaker 110V DC with structure and clamp connector suitable for Panther Conductor	M/s ABB Ltd. vadodara Maneja, Vadodara	E-2400/297, 22.09.14	Set	81
	66 KV SF6 breaker 220V DC with structure and clamp connector suitable for Panther Conductor			Set	1
105	66 KV SF6 breaker 110V DC with structure and clamp connector suitable for Panther Conductor	M/s Crompton Greaves Ltd, Ambad, Nasik	E-2400/296, 22.09.14	Set	80
	66 KV SF6 breaker 220V DC with structure and clamp connector suitable for Panther Conductor			Set	2
106	ACSR Moose Conductor with steel drum on returnable basis as per tech. specification	M/s Diamond Power Infrastructure Ltd, Savli, Vadodara	E-2396/1072, 15.10.14.	Km.	15
107	ACSR Zebra Conductor with steel drum on returnable basis as per tech. specification	M/s Neccon Power & Infra Limited, Sikar,	E-2396/1073, 15.10.14.	Km.	38
108	220/66 KV, 100 MVA Power Transformer as per technical Specification.	M/s Bharat Heavy Electricals Ltd., Vadodara	E-2393/1760 03.11.14	No.	7
	Erection, testing & commissioning of all the accessories of 220/66 KV, 100 MVA Power transformer			No.	7
	400/220/33 KV, 315 MVA Auto Transformer			No.	1
	Erection, testing & commissioning of all the accessories of 400/220/33 KV, 315 MVA Auto Transformer			No.	1
	Doble make SFRA Kit (Model no.M 5400) 1 no. with each transformer			No.	1
	Moisture measurement in oil (DOMINO USS) Doble make-1 No. with each transformer			No.	1

Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
109	ACSR Zebra Conductor with steel drum on returnable basis as per tech. specification	M/s Prem Conductors Pvt. Ltd., Santej,Kalol, Gandhinagar	E-2396/3899, 17.11.14	Km.	73
	ACSR Moose Conductor with steel drum on returnable basis as per tech. specification			Km.	9
110	ACSR Zebra Conductor with steel drum on returnable basis as per tech. specification	M/s JSK Industries Private Limited, Rakholi, Silvassa	E-2396/4085, 20.11.14	Km.	35
	ACSR Moose Conductor with steel drum on returnable basis as per tech. specification			Km.	20
111	66KV SF ₆ Breaker 110V DC with structure and clamp connector suitable for Panther Conductor & buy back	M/s ABB Ltd. Maneja, Vadodara	E 2445/4376 28.11.14.	sets	100
	66KV SF ₆ Breaker 110V DC with structure and clamp connector suitable for Zebra Conductor & buy back			sets	2
	132KV SF ₆ Breaker -110V with structure and clamp connector suitable for Twin Zebra Conductor & buy back			sets	2
	132KV SF ₆ Breaker -110V with structure and clamp connector suitable for Moose Conductor & buy back			sets	1
112	ACSR Dog Conductor	M/s Dynamic cables Pvt. Ltd., Jaipur	E-2446/5626, 31.12.14	Km.	800
113	66KV SF ₆ Breaker 110V DC with structure and clamp connector suitable for Panther Conductor & buy back	M/s Crompton Greaves Ltd, Ambad, Nasik	E-2445/5764, 3.01.15	sets	98
	66KV SF ₆ Breaker 110V DC with structure and clamp connector suitable for Dog Conductor & buy back			sets	3
	66KV SF ₆ Breaker 110V DC with structure and clamp connector suitable for Moose Conductor & buy back			sets	2
114	132KV SF ₆ Breaker -110V with structure and clamp connector suitable for Twin Zebra Conductor & buy back	M/s Siemens Limited Aurangabad	E-2445/ 74,9.01.15	sets	4
	220KV SF ₆ Breaker 110V DC with structure and clamp connector suitable for Single Zebra Conductor & buy back			sets	4
	220KV SF ₆ Breaker 220V DC with structure and clamp connector suitable for Single Zebra Conductor & buy back			sets	6
	220KV SF ₆ Breaker 220V DC with structure and clamp connector suitable for Twin Zebra Conductor & buy back			sets	2
	220KV SF ₆ Breaker 110V DC with structure and clamp connector suitable for Single Moose Conductor & buy back			sets	22
	220KV SF ₆ Breaker 110V DC with structure and clamp connector suitable for Twin Moose Conductor & buy back			sets	1
	220KV SF ₆ Breaker 220V DC with structure and clamp connector suitable for Twin Moose Conductor & buy back			sets	8
115	ACSR Dog Conductor	M/s Prem Conductors Pvt. Ltd., Santej,Kalol, Gandhinagar	E 2446/923, 4.02.15.	Km.	2565
116	ACSR Dog Conductor	M/s Neccon Power & Infra Limited, Sikar	E 2466/2061, 13.02.15.	Km.	1816
117	AL 59 conductor (61/3.50 mm) with steel drum (on returnable basis) as per technical specification	M/s Sterlite Technologies Ltd., Rakholi, U.T. Dadra & Nagar Haveli	E-2423/3919 30.03.15	Km.	175
118	7.3 KV, 200KVAR External Fuse type Capacitor Cell	M/s ABB Ltd,Banglore	E-2348/RO/ 4340 09.04.14	No	705
119	GI Earth Wire 7/3.15 mm	M/s Himachal Wire Pvt. Ltd, Damtal	E-2324/RO/ 4906 02.05.14	Kms	21
120	Contact type Voltage Detector	M/s Motwane manufacturing Company Pvt Ltd,Nasik	E-2365/5185 07.05.14	No	968
121	11KV, 90KN Antifog Disc Insulators	M/s Bikaner Cermics Pvt. Ltd, Bikaner	E-2414/5666 26.05.14	Nos.	1170
	11KV, 120KN Antifog Disc Insulators			Nos.	10014
122	11KV, 90KN Antifog Disc Insulators	M/s India Pottries kolkatta	E-2412/5664 26.05.14	Nos.	3510
	11KV, 120KN Antifog Disc Insulators			Nos.	20000
123	11KV, 120KN Antifog Disc Insulators	M/s Adity Birla Insulators Pvt Ltd,Halol	E-2412/5665 dtd 26.05.14	Nos.	10039
124	400 KV 8 KN BPI with clamp connector (Fix & Sliding to receive 4" IPS AL Tube)	M/s Adity Birla Insulators Pvt Ltd,Halol	E-2319/5903 30.05.14	Nos.	6
	400 KV 8 KN BPI with clamp connector (Expansion Type to receive 4" IPS AL Tube)			Nos.	3

Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
125	66KV Bus Post Insulators w/o structure with clamp connector suitable for ACSR Panther conductor	M/s Adity Birla Insulators Pvt Ltd, Halol	E-2141/6396 12.09.14	Nos.	200
	66KV Bus Post Insulators w/o structure with clamp connector suitable for Single Zebra conductor			Nos.	650
	66 KV Bus Post Insulators w/o structure with clamp connector suitable for single Moose			Nos.	584
	66 KV Bus Post Insulators w/o structure with clamp connector suitable for Twin Moose			Nos.	220
	66 KV Bus Post Insulators w/o structure with clamp connector suitable for Twin Zebra (350 mm spacing)			Nos.	292
	132 KV 6KN Bus Post Insulators w/o structure with clamp Connector suitable for twin Zebra (350 mm spacing)			Nos.	297
	220 KV 8KN Bus Post Insulators w/o structure with clamp Connector suitable for twin Moose (350 mm spacing)			Nos.	3079
	400KV Bus Post Insulators w/o structure with clamp connector suitable for twin moose(450 mm spacing)			Nos.	45
126	ASMI-52 2 wire SHDL modern, RAD make as per specification	M/s Diamond Infosystems Ltd, Vadodara	E-2422/7336 08.07.14	Nos.	26
	E1 interface converter, RAD make as per specification			Nos.	26
127	66 KV 90KN Ten type SRI	M/s Deccan Enterprises Ltd, Hyderabad	E-2327/9072 19.08.14	Nos.	2000
128	Auto Trip redundant communication link comprising of UHF outdoor radio unit , 24dbi semi parabolic dish antenna, 25 meter CAT6 cable , 110vDC power supply unit with battery backup, Digital I/O module with redundant communication port and Cabinet for placing outdoor equipments as per specification	M/s Midaas Telesoft Pvt. Ltd, Ahmedabad	1437/7789 22.07.14	set	3
	Link repeater with 110vDC power supply unit including cabinet as per specification			set	2
129	Tariff meter with Summator as per Technical Specification (1 Summation Module with 2 meter Module)	M/s Secure Meters Ltd, Himachal Pradesh	CE(P)/Proc/ E-2427/III/e-95009/Ta	Set	9
	Tariff meter with Summator as per Technical Specification (1 Summation Module with 4 meter Module)			Set	2
	GSM Modem (1 Modem per 1 Location)			Nos.	9
	Meter panel Per /Cubical			Nos.	9
	Installation and commissioning per location			Location	9
130	a. Fixed charge (One time initially) for Last mile connectivity (4MBPS) bandwidth	M/s BSNL, Vadodara	E-2382/9878 10.09.14	No.	1
	b. Yearly Rent for Last mile connectivity(4MBPS) bandwidth			Year	1
	c. Increase/Decrease in Bandwidth charges*			Per 2Mb	1
	d. Fixed charge for (20MB/MONTH/SIM, Outgoing SMS :- 50Nos./month/SIM, Incoming SMS:- Free, Packet Size:-5KBPS)			Nos.	1200
	e. Monthly Unit Rent for 1200 Nos. SIM considering total requirement of 1200 Nos. SIM			Month	12
131	3 Phase, 4 wires, Static Energy Meters with recording, 1A Secondary as per specifications.	M/s L&T Ltd, Mysore	E-2424 20.09.14	Nos.	700
	3 Phase, 4 wires, Static Energy Meters with recording, 5A Secondary as per specifications			Nos.	1300
132	Tool Kit for Substation	M/s Shree Balaji Projects & Consultants, Ahmadabad	E-2378/1068 15.10.14	Nos.	139
133	AMC of Desktop Computers, Laptops and Printers	M/s Aakash Marketing, Vadodara	E-2379/2031 12.11.14	ARC	1
134	GI Earth Wire 7/3.15 mm	M/s Himachal Wire Pvt. Ltd, Damtal	E-2418/ 3886 17.11.14	Kms	780
	GI Stay Wire 7/4 mm			MT	167
135	GI Earth Wire 7/3.15 mm	M/s Nirmal Wires Pvt. Ltd. , Kolkata	E-2418/4401 01.12.14	Kms	258
	GI Earth Wire 7/3.66 mm			Kms	2

Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
136	Development, supply and install ADMS software, Window base as per Technical specification for All 5 control centre	M/s Kirti Telnet Pvt. Ltd.Ahmdabad		JOB	1
	Industrial grade PC having configuration as per technical specifications for 5 Nos. control center			Nos.	5
	GSM/GPRS gateway device for feeder Access control as per technical specifications			Nos.	100
	End Cubicle Box with IP65 protection, with Isolator contact type ISI TB with 12 terminal connector, with Alarm enunciator (4 window) & hooter DC operated 110/220 V DC, Including associated wiring up to Terminal connector from GPS/GPRS device with 2.5 SQ. mm. ISI flexible wires. This unit should be provided with manual bypass switch and DC supply ON/OFF switch. The cubicle box should be of reputed make and features like Proton make Annunciation.			Set	100
	Installation and commissioning including testing of 100 NOs of GPRS/GPS device as per clause no 6 of technical specification			JOB	1
	Comprehensive 5 years AMC including control center and field substation end equipments excluding communication link. However restoration of failed communication link is to be identified and co-ordinate for restoration for full functionality.				
	a) AMC for 1 st Year			JOB	1
	b) AMC for 2 nd Year			JOB	1
	c) AMC for 3 rd Year			JOB	1
	d) AMC for 4 th Year			JOB	1
e) AMC for 5 th Year	JOB	1			
			E-2456/4679 04.12.14		

Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
137	Providing Point to point and MPLS-VPN Layer 3 Type Communication link connectivity over Electrical/Optical Ethernet output to locations	M/s BSNL,Vadodara	E-2436/4996 15.12.14	location	19
138	Selective Level Meter	M/s. APLAB LIMITED. Thane	E-2435/5444 26.12.14	Nos.	5
	Frequency Counter			Nos.	2
	Selective Level Generator			Nos.	1
139	66KV Bus Post Insulators w/o structure with clamp connector suitable for ACSR Panther conductor	M/s. Aditya Birla Insulators,Halol	E-2451/5675 02.01.15	Nos.	323
140	Vehicle mounted Live Line Insulator Washer	M/s Raj Shree & Company, Ahmedabad	E-2457/568 27.01.15	Nos.	5
141	66KV 120KN Ten type SRI	M/s Deccan Enterprises Ltd, Hyderabad	E-2413/617 28.01.15	Nos.	10071
	132KV 90KN Susp type SRI			Nos.	5035
	220KV 90KN Susp type SRI			Nos.	5540
	220KV 120KN Ten type SRI			Nos.	2650
142	66KV 90KN Susp type SRI	M/s. BHEL, BANGALORE	E-2413/631 28.01.15	Nos.	35525
143	Desktop Computer with UPS	M/s Creative Info Tech Solutions Pvt. Ltd, Vadodara	E-2453/1003 04.02.15	Nos.	6
144	Providing Consultancy services to GETCO for a review of present cost estimate, terms & conditions of tenders and price updation etc	M/S Ernst & Young LLP Mumbai	CE(P)/Proc/Consultancy/RFP/E &Y/2698 dtd 02.03.15	JOB	1
145	ASMI-52 2 wire SHDL modem, RAD make as per specification	M/s Diamond Infosystems Ltd, Vadodara	E-2411 /2616 02.03.15	Nos.	8
	E1 interface converter, RAD make as per specification			Nos.	8
146	Three Phase Wdg. Resistance meter	M/s ELPE Engineers, Vadodara	E-2442/2617 02.03.15	Nos.	17
147	11KV, 90KN Antifog Disc Insulators	M/s Bikaner Cermics Pvt. Ltd, Bikaner	E-2450/3149 16.03.15	Nos.	10960
	11KV, 120KN Antifog Disc Insulators			Nos.	6250
148	11KV, 90KN Antifog Disc Insulators	M/s. India Pottries Ltd, Kolkata	E-2450/3903 30.03.15	Nos.	32880
	11KV, 120KN Antifog Disc Insulators			Nos.	18750
149	Station class 22 KV LA, 10 kA, Gap less type Metal oxide lightning arrestors with insulating base and surge monitor without structure	M/s Oblum Electrical Industries (P) LTD,Hyderabad	E-2381/4135 . 02.04.14	Nos.	148
	Station class 33 KV LA, 10 kA, Gap less type Metal oxide lightning arrestors with insulating base and surge monitor without structure				24
150	22 KV, 400A, DB Isolator without E/B (110V DC) with Structure , Insulators & clamp connector suitable to ACSR Dog conductor	M/s Maktel Power Ltd,Waghodiya	E-2380/4726 . 23.04.14	Set	13
	22 KV, 400A, DB Isolator without E/B, without structure (110V DC) with Insulators & clamp connector suitable to ACSR single Panther conductor				15
151	11 KV, 1600 A Bus Coupler panel with one additional incomer panel (1250 A) suitable for 11 KV, 1250 A (1+6) Jyoti make panel board	M/s Jyoti Ltd,Vadodara	E-2386/4970 . 03.05.14	Nos.	14
	11 KV, 1250 A (1+5) Panel Board			Set	1
	11 KV, 1250 A Incomer VCB Panel			Nos.	119
	11 KV, 2 Nos. of 1250 A Incomer Panels + 6 Nos. of 1250 A Feeder Panels along with 1 No. of 1600 A Bus Coupler Panel			Set	30
	11 KV, 2 Nos. of 1600 A Incomer Panels + 6 Nos. of 1250 A Feeder Panels along with 1 No. of 1600 A Bus Coupler Panel			Set	8
152	11 KV, 1250 A, 500 MVA VCB Capacitor Bank Panel	M/s BHEL Bhopal	E-2386/4991 05.05.14	Nos.	1
153	11 KV, 1600 A Bus Coupler panel with one additional incomer panel (1250 A) suitable for 11 KV, 1250 A (1+6) Stelmec make panel board	M/s Stelmec Ltd,Sanand	E-2386/4990 . 05.05.14	Nos.	57
	11 KV, 1600 A Bus Coupler panel with one additional incomer panel (1250 A) suitable for 11 KV, 1250 A (1+6) Megawin make panel board				5
	11 KV, 1250 A, 500 MVA VCB Capacitor Bank Panel				2
	11 KV, 1600 A Incomer VCB panel			11	
	11 KV, 2 Nos. of 1250 A Incomer Panels + 6 Nos. of 1250 A Feeder Panels along with 1 No. of 1600 A Bus Coupler Panel			Set	30
	11 KV, 2 Nos. of 1600 A Incomer Panels + 6 Nos. of 1250 A Feeder Panels along with 1 No. of 1600 A Bus Coupler Panel				7
	11 KV, 1600 A VCB Bus Coupler Panel			Nos.	145
154	22 KV, 630A, DB Isolator without E/B, without structure (110V DC) with Insulators & clamp connector suitable to ACSR single Panther conductor	M/s Sterling Isolators pvt Ltd,Vdodara	E-2380/5272 dtd. 12.05.14	Set	58
	22 KV, 400A, DB Isolator with E/B (110V DC) with Structure , Insulators & clamp connector suitable to ACSR Dog conductor				6
	22 KV, 630A, DB Isolator with E/B, without structure, (110V DC) with Insulators and with clamp connector suitable to ACSR single Panther conductor				14

Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
155	22 KV, 400A, DB Isolator with E/B (110V DC) with Structure , Insulators & clamp connector suitable to ACSR Dog conductor	M/s Electrolites (power) Pvt Ltd,Jaipur	E-2380/5488 dtd. 17.05.14	Set	7
	22 KV, 630A, DB Isolator with E/B, without structure (110V DC) with Insulators & clamp connector suitable to ACSR single Panther conductor				15
156	22 KV, 630A, (110V DC) DB Isolator with E/B, with structure, with Insulators and with clamp connector suitable to ACSR single Panther conductor	M/s Maktel Power Ltd,Waghodiya	E-2410/5584 dtd. 20.05.14	Set	9
	22 KV, 630A, (110V DC) DB Isolator without E/B, with structure, with Insulators and with clamp connector suitable to ACSR single Panther conductor				9
	66 KV, 630 A, (110V/220V DC) motor operated HDB Isolator with E/B, with Structure, with insulator and with clamp connector suitable for ACSR Single Moose / Panther conductor				152
	66 KV, 630 A, (110V DC) motor operated HDB Isolator with E/B, without Structure, with insulator and with clamp connector suitable for ACSR Panther conductor				220
	66 KV, 630 A, (110V/220V DC) motor operated HDB Isolator without E/B, with Structure, with insulator and with clamp connector suitable for ACSR Single Moose / Panther conductor				500
	66 KV, 1250 A, (110V/220V DC) motor operated HDB Isolator without E/B, with Structure, with insulator and with clamp connector suitable for ACSR Twin Zebra conductor				31
	66 KV, 2000 A, (110V/220V DC) motor operated HDB Isolator without E/B, with Structure, with insulator and with clamp connector suitable for ACSR Twin Moose / Twin Zebra Conductor (350 mm spacing)				32
157	11 KV, 2 Nos. of 1250 A Incomer Panels + 6 Nos. of 1250 A Feeder Panels along with 1 No. of 1600 A Bus Coupler Panel	M/s Crompton greaves Ltd,Nasik	E-2386/5681 dtd. 26.05.14	Set	30
	11 KV, 1600 A VCB Bus Coupler Panel				90
158	22 KV, 630A, (110V DC) DB Isolator with E/B, with structure, with Insulators and with clamp connector suitable to ACSR single Panther conductor	M/s Crompton greaves Ltd,Nasik	E-2386/5681 dtd. 26.05.14	Nos.	1
	22 KV, 630A, (110V DC) DB Isolator without E/B, with structure, with Insulators and with clamp connector suitable to ACSR single Panther conductor				1
159	11 KV, 1600 A Bus Coupler panel with one additional incomer panel (1250 A) suitable for 11 KV, 1250 A (1+6) Megawin make panel board	M/s Megawin Switchgear pvt Ltd,Salem	E-2386/5872 dtd. 30.05.14	Nos.	6
	11 KV, 1250 A (1+5) Panel Board			Set	2
	11 KV, 1250 A Incomer VCB Panel			Nos.	40
	11 KV, 2 Nos. of 1250 A Incomer Panels + 6 Nos. of 1250 A Feeder Panels along with 1 No. of 1600 A Bus Coupler Panel			Set	30
160	66 KV, 630 A, (110V/220V DC) motor operated HDB Isolator without E/B, with Structure, with insulator and with clamp connector suitable for ACSR Single Moose / Panther conductor	M/s Crompton greaves Ltd,Nasik	E-2410/5874 dtd. 30.05.14	Nos.	348
161	66 KV, 1250 A, (110V/220V DC) motor operated HDB Isolator without E/B, with Structure, with insulator and with clamp connector suitable for ACSR Twin Zebra conductor	M/s GR Power switchgear Ltd,Hyderabad	E-2410/5873 dtd. 30.05.14	Nos.	32
	66 KV, 2000 A, (110V/220V DC) motor operated HDB Isolator without E/B, with Structure, with insulator and with clamp connector suitable for ACSR Twin Moose / Twin Zebra Conductor (350 mm spacing)				32
162	132 kV Polymer housed LA w/o Structure with clamp connector	M/s Raychem RPG (P) Ltd,Halol	E-2315/VDP/6749 24.06.14	Nos.	3
	220 kV Polymer housed LA w/o Structure with clamp connector				3
	66 kV Polymer housed LA w/o Structure with clamp connector				3
163	LT Panel Board (400 A) (with SCADA compatible)	M/s. Maktel Control & Systems Pvt. Ltd., Vadodara	E-2420/8735 . 07.08.14	Nos.	3
	LT Panel Board (400 A) (without SCADA compatible)			Nos.	135
	220 V, DCDB with 20 Feeder (with SCADA compatible)			Nos.	15
	110 V DCDB with 20 Feeder (without SCADA compatible)			Nos.	7
	50 V, DCDB with 20 Feeders (6 Amp each) for DC supply to PLCC panels & Exchange (without SCADA compatible)			Nos.	2
50 V, DCDB with 10 Feeders (6 Amp each) for DC supply to PLCC panels & Exchange (without SCADA compatible)	Nos.	4			
164	LT Panel Board (400 A) (with SCADA compatible)	M/s. Hertz Electronics, Indore	E-2420/8927 dtd. 14.08.14	Nos.	3
165	11KV, 1250 A, Indoor VCB (1+6) 7 Panel Board with Motorized Rack in-Rack out system	M/s. Jyoti Ltd., Vadodara	E-2272/9137. 19.08.14	Set	1

Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
166	LT Panel Board (400 A) (without SCADA compatible)	M/s. Maktel Control & Systems Pvt. Ltd., Vadodara	E-2362/9474 . 28.08.14	Nos.	10
167	66 KV Porcelain LA without structure but with clamp connector suitable for Panther / Zebra/ Moose conductor	M/s. Lamco Industries Pvt Ltd, H'bad	E-2399/580 01.10.14	Nos.	2190
	220 KV Porcelain LA with structure clamp connector suitable for Single Moose Conductor			Nos.	143
	400 KV Porcelain LA without structure with clamp connector suitable for Twin Moose Conductor			Nos.	5
	Station class 22 KV Porcelain LA, 10 kA, Gap less type Metal oxide lightning arrestors with insulating base and surge monitor without structure but with clamp connector suitable for Panther conductor			Nos.	30
168	132 KV Porcelain LA with structure with clamp connector suitable for Single Zebra Conductor	M/s. Crompton Greaves Limited, Nasik	E-2399/81 01.10.14	Nos.	102
	220 KV Porcelain LA without structure with clamp connector suitable for single Moose Conductor			Nos.	3
169	Station class 22 KV LA, 10 kA, Gap less type Metal oxide lightning arrestors with insulating base and surge monitor without structure	M/s. Oblum Electrical Industries (P) Ltd., H'bad	E-2381R/4236 24.11.14	Nos.	37
170	LT Panel Board (400 A) (without SCADA compatible)	M/s. Maktel Control & Systems Pvt. Ltd., Vadodara	E-2420RO/4683 04.12.14	Nos.	9
171	22 KV, 400A, DB Isolator without E/B (110V DC) with Structure , Insulators & clamp connector suitable to ACSR Dog conductor	M/s. Maktel Power Ltd., Waghodiya	E-2380R/5048 17.12.14	Set	3
172	22 KV, 630A, (110V DC) DB Isolator with E/B, with structure, with Insulators and with clamp connector suitable to ACSR single Panther conductor	M/s. Maktel Power Ltd., Waghodiya	E-2410R/5146 17.12.14	Nos.	2
	22 KV, 630A, (110V DC) DB Isolator without E/B, with structure, with Insulators and with clamp connector suitable to ACSR single Panther conductor			Nos.	2
	66 KV, 1250 A, (110V/220V DC) motor operated HDB Isolator without E/B, with Structure, with insulator and with clamp connector suitable for ACSR Twin Zebra conductor			Nos.	3
	66 KV, 630 A, (110V/220V DC) motor operated HDB Isolator without E/B, with Structure, with insulator and with clamp connector suitable for ACSR Single Moose / Panther conductor			Nos.	125
	66 KV, 630 A, (110V/220V DC) motor operated HDB Isolator with E/B, with Structure, with insulator and with clamp connector suitable for ACSR Single Moose / Panther conductor			Nos.	38
173	LT Panel Board (400 A) (without SCADA compatible)	M/s. Maktel Control & Systems Pvt. Ltd., Vadodara	E-2420R/4683 04.12.14	Nos.	9
174	Safety Shoes	M/s. Acme Fabric Plast Co., Gwalior	E-2455/4666 03.12.14	Pair	890
175	22 KV, 1250 A (110 V DC) Outdoor VCB Breaker with Structure with clamp and connector - suitable for ACSR Dog conductor	M/s. Jyoti Ltd., Vadodara	E-2379R/355 24.12.14	Set	3
176	66 KV, 630 A, (110V/220V DC) motor operated HDB Isolator without E/B, with Structure, with insulator and with clamp connector suitable for ACSR Single Moose / Panther conductor	M/s. Crompton Greaves Limited, Nasik	E-2379R/877 07.01.15	Nos.	86
177	66 KV, 1250 A, (110V/220V DC) motor operated HDB Isolator without E/B, with Structure, with insulator and with clamp connector suitable for ACSR Twin Zebra conductor	M/s. G. R. Power Switchgear Ltd., H'bad	E-2410R/78 07.01.15	Nos.	3
178	22 KV, 400A, DB Isolator with E/B (110V DC) with Structure , Insulators & clamp connector suitable to ACSR Dog conductor	M/s. Sterling Isolators Pvt. Ltd., Vadodara	E-2380/131 12.01.15	Set	1
179	11 KV, 1250 A VCB capacitor bank as per technical specification but excluding Static Energy meter & Cable termination kit and buyback against supply	M/s. Stelmec Ltd, Sanand	E-2452/1112 07.02.15	Nos.	32
	11 KV, 1250 A VCB Incomer Panel as per technical specification but excluding Static Energy meter & Cable termination kit and buyback against supply.			Nos.	27
	11 KV, 1250 A VCB Feeder Panel as per technical specification but excluding Static Energy meter & Cable termination kit and buyback against supply.			Nos.	50
	11 KV, 1600 A VCB Bus Coupler panel as per technical specification but excluding Static Energy meter & Cable termination kit and buyback against supply			Nos.	15

Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
180	11 KV, 1250 A VCB capacitor bank as per technical specification but excluding Static Energy meter & Cable termination kit and buyback against supply.	M/s. Jyoti Ltd., Vadodara	E-2452/1113 07.02.15	Nos.	25
	11 KV, 1250 A VCB Incomer Panel as per technical specification but excluding Static Energy meter & Cable termination kit and buyback against supply.			Nos.	25
	11 KV, 1250 A VCB Feeder Panel as per technical specification but excluding Static Energy meter & Cable termination kit and buyback against supply			Nos.	45
181	22 KV, 400A, DB Isolator with E/B (110V DC) with Structure , Insulators & clamp connector suitable to ACSR Dog conductor	M/s. Electrolites (Power) Pvt. Ltd., Jaipur	E-2380/2279 21.02.15	Set	1
182	132 KV Porcelain LA with structure with clamp connector suitable for Single Zebra Conductor	M/s. Crompton Greaves Limited, Nasik	E-2399/3657 25.03.15	Nos.	12
183	66 KV Porcelain LA without structure but with clamp connector suitable for Panther / Zebra/ Moose conductor	M/s. Lamco Industries Pvt Ltd, H'bad	E-2399/3653 25.03.15	Nos.	547
	220 KV Porcelain LA with structure clamp connector suitable for Single Moose Conductor			Nos.	16
	Station class 22 KV Porcelain LA, 10 kA, Gap less type Metal oxide lightning arrestors with insulating base and surge monitor without structure but with clamp connector suitable for Panther conductor			Nos.	7
184	132 kV, 1600 A, 40 kA, 3s, HDB Isolator with one ES, without structure, with insulator and with clamp connector suitable for Twin Zebra as per technical specification. (110V DC)	M/s. G.R.Power Switchgear Ltd.,Hyderabad	E-2411/3655 25.03.15	Nos.	5
	132 kV, 1600 A, 40 kA, 3s, HDB Isolator without E/B, without structure, with insulator and with clamp connector suitable for Twin Zebra (350mm spacing) as per technical specification. (1 No. 220V DC balance 110V DC)			Nos.	14
	220 kV, 1600 A, 40 kA, 3s, HDB Isolator with one ES, without structure, with Insulator and with clamp connector suitable for Twin Moose as per technical specification. (07 Nos. 220 V DC balance 110 V DC)			Nos.	10
	220 kV, 1600 A, 40 kA, 3s, HDB Isolator without E/B, without structure, with Insulator and with clamp connector suitable for Twin Moose (350 mm spacing) as per technical specification. (17 Nos. 220 V DC balance 110 V DC)			Nos.	35
	400 KV, 3150 A, 40 KA, 3s HDB Tandom Isolator without E/B, without Structure, with Insulator and with clamp connector suitable for 4" IPS Alu Tube (One end fix & sliding type and other end expansion type) as per Technical specification.			Nos.	3
185	132 kV, 1600 A, 40 kA, 3s, HDB Isolator with one ES, without structure, with insulator and with clamp connector suitable for Twin Zebra as per technical specification. (110V DC)	M/s. Universal Isolators,Indore	E-2411/3654 25.03.15	Nos.	1
	132 kV, 1600 A, 40 kA, 3s, HDB Isolator without E/B, without structure, with insulator and with clamp connector suitable for Twin Zebra (350mm spacing) as per technical specification. (110V DC)			Nos.	3
	220 kV, 1600 A, 40kA, 3s, DB Tandom Isolator without E/B, without structure, with Insulator and with clamp connector suitable for Twin Moose (350 mm spacing) / Twin Moose with one side vertical takeoff and other side pass on clamp for horizon run as per technical specification. (220 V DC)			Nos.	7
	220 kV, 1600 A, 40 kA, 3s, HDB Isolator with one ES, without structure, with Insulator and with clamp connector suitable for Twin Moose as per technical specification. (220 V DC)			Nos.	2
	220 kV, 1600 A, 40 kA, 3s, HDB Isolator without E/B, without structure, with Insulator and with clamp connector suitable for Twin Moose (350 mm spacing) as per technical specification. (04 Nos. 220 V DC balance 110 V DC)			Nos.	8
186	11.55 kV/400 - 230V, 500 KVA Distribution Transformer - Copper wound as per technical specification.	M/s. Jayesh Electricals Limited, , Waghodiya	E-2323/3654 dtd 25.03.15	Nos.	7
187	400 KV, 01 mH, 3150 Amp, line Trap with structure	M/s ALSTOM T&D India Limited ,Hosur	E-2356 /5020 .05.05.2014	Nos.	6.00
	400 KV, 0.1 mH, 2000 Amp, line Trap with structure			Nos.	2.00
	220 KV, 0.5 mH,1250 Amp, Line Trap			Nos.	17.00
	132 KV, 0.5 mH, 630 A, Line Trap			Nos.	46.00
188	400 KV, 0.1 mH, 2000 Amp, line Trap with structure	M/s ALSTOM T&D India Limited ,Hosur	E-2426/7348 dtd 08.07.14,	Nos.	6.00
	220 KV, 0.5 mH,1250 Amp, Line Trap			Nos.	4.00
	132 KV, 0.5 mH, 630 A, Line Trap			Nos.	2.00

Sr. No.	Name of Items	Name of the Firm	A/T. No. & Date	Unit	Order Qty
189	400 KV Line-CVT (8800pf) with structure	M/s CGL,Nashik	E2425/8145,,31.07.2014	Nos.	3.00
	400 KV Line-CVT (8800pf) without structure			Nos.	1.00
	132 KV CVT (4400pf) with structure			Nos.	12.00
	132 KV CVT (4400pf) without structure			Nos.	1.00
190	RTU Panels	M/s Applitech, Ahmedabad	E-2263/8726 .7.08.2014	Nos.	3.00
191	AIO Desktop computer	M/ Diomond Infosystem Ltd, Vadodsara	E-2432/9560 30.08.14	Nos.	18.00
	Colour Printers			Nos.	1.00
192	220 KV CVT (4400pf) with structure	M/s ALSTOM T&D India Limited ,Hosur	E-2425/258,,20.09.2014	Nos.	38.00
	220 KV CVT (4400pf) VA burden -10,50 & 60) with structure			Nos.	28.00
193	220 KV CVT (4400pf) without structure	M/s Siemens Ltd.,Aurangabad	E-2425/268,,20.09.2014	Nos.	3.00
194	400 KV Line CVT with structure	M/s ABB Ltd,Vadodara	E-2425/267 20.09.14	Nos.	3.00
	400 KV Line CVT without structure			Nos.	1.00
195	Printer under buy back	M/s Creative Info Tech Solutions Pvt. Ltd, Vadodara	E-2434/675 04.10.14	Nos.	5.00
196	VHF Sets	M/S Midaas, Ahmedabad	E2428/1818,,05.11.2014	Nos.	149.00
197	PLCC Digital Exchange	M/s Matrix, Vadodara	E2430/675,.04.10.2014	Nos.	22.00
198	132 KV CVT with structure	M/s CGL Nasik	E-2425/674 04.10.14	Nos.	12